

**2003 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results		Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in							
<b>MATURITY GROUP 1</b>												
DAIRYLAND	DSR-199 RR	46.2	9/19	1.6	33	36.3	19.2	61.7	34.3	42.7	47.7	51.9
EXCEL	8193 RR	46.8	9/18	1.6	33	36.4	19.1	63.4	37.2	39.8	47.8	
MERSCHMAN	MARS VIIR	46.4	9/19	1.6	32	34.9	19.7	62.9	35.7	40.7	47.7	
MERSCHMAN	VENUS RR	42.5	9/20	1.8	36	36.9	19.8	55.5	32.2	39.9	44.8	
WILKEN	1493 RR	45.8	9/18	1.7	33	35.5	19.3	66.0	34.8	36.8	43.5	48.3
	AVERAGE	45.6	9/19	1.7	33	36.0	19.4	61.9	34.8	40.0	46.3	50.1
	L.S.D. 25% LEVEL	2.7		0.1	1	0.40	0.40	1.1	1.1	0.8		
	COEFF. OF VAR. (%)	10.1		13.5	5	1.9	3.5	3.0	5.7	3.4		
<b>MATURITY GROUP 2</b>												
ADLER	254 RR	42.4	9/22	1.9	36	35.8	18.7	52.4	29.5	45.4	43.8	
ADLER	286 RRN	45.1	9/26	2.2	35	36.7	18.8	53.3	37.9	44.2	45.7	
ADLER	298 RR	42.4	9/24	1.9	34	35.7	19.4	54.2	35.3	37.7		
AGRINETICS	EXCEL 8200 RR	46.3	9/23	1.8	36	35.7	19.7	62.2	33.5	43.1	47.6	52.0
AGRINETICS	EXCEL 8254 RR	43.5	9/21	1.9	36	35.8	19.6	57.5	34.3	38.6	45.8	
AGRINETICS	EXCEL 8269 RR	44.5	9/24	2.0	37	35.6	19.6	52.8	36.9	43.8		
AGRINETICS	EXCEL 8274 NRR	40.0	9/25	1.8	34	35.6	19.3	47.7	31.2	41.3	44.5	50.4
ASGROW	AG 2703*	45.6	9/25	1.8	37	34.4	19.8	56.0	36.4	44.4	47.2	52.3
ASGROW	AG 2801	45.1	9/24	1.9	37	35.4	19.3	53.4	37.5	44.5		
CROW'S	C 2435 R*	41.7	9/23	1.8	35	35.3	19.1	51.7	34.6	38.8		
CROW'S	C 2506 R	38.4	9/26	1.9	35	35.6	19.2	42.9	28.6	43.9		
CROW'S	C 2615 R*	46.3	9/24	1.5	36	36.0	19.8	59.2	35.0	44.7	46.2	
DAIRYLAND	DSR-221 RR	46.5	9/25	1.8	33	36.0	19.4	60.8	33.7	45.1	47.2	51.8
DAIRYLAND	DSR-228 RR	44.4	9/21	1.9	37	36.1	19.3	57.3	35.8	40.0	46.0	51.0
DAIRYLAND	DSR-234 RR	47.2	9/22	1.7	31	36.0	19.3	61.0	34.8	45.8		
DAIRYLAND	DSR-245 RR	40.2	9/22	2.0	36	35.7	19.1	51.3	30.9	38.3		
DAIRYLAND	DSR-251 RR*	44.9	9/23	1.9	35	36.0	19.4	61.8	35.2	37.8	46.1	50.6
DAIRYLAND	DSR-255 RR	41.4	9/25	1.9	38	35.1	19.9	49.5	31.5	43.1	42.4	
DAIRYLAND	DSR-268 RR*	40.6	9/26	2.0	36	36.1	19.0	43.9	32.4	45.4	45.0	49.9
DAIRYLAND	DSR-274 RR	39.3	9/24	2.3	36	35.8	18.5	41.6	29.0	47.3	44.1	
DAIRYLAND	DSR-277 RR	45.7	9/21	1.8	37	34.8	20.2	58.6	34.9	43.7		
DAIRYLAND	DSR-297 RR	39.8	9/30	1.8	36	35.8	19.5	49.4	28.5	41.5	44.6	
DAIRYLAND	DST 2133 RR	44.3	9/24	1.7	35	36.2	18.9	58.1	31.8	42.9		
DAIRYLAND	DST 2134 RR	42.0	9/20	2.2	38	35.1	19.6	53.4	28.9	43.7		
DAIRYLAND	DST 2346 RR	41.9	9/25	2.0	39	36.0	18.7	46.1	36.0	43.7		
DEKALB	DKB 26-51*	43.6	9/22	1.8	39	34.8	19.7	56.1	32.5	42.2		
DEKALB	DKB 26-52	48.3	9/24	2.8	38	35.7	19.1	58.6	37.3	48.9		
DERAEDT	2120 RR*	46.5	9/26	1.9	36	36.0	19.4	60.2	33.3	45.9	45.9	50.3

**2003 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*ISPOB nominated variety												
DERAEDT	2121 RR*	48.9	9/22	1.8	31	36.0	19.4	62.1	35.1	49.6			
DERAEDT	2701 RR*	45.2	9/25	2.4	42	34.2	20.1	56.4	38.8	40.4	47.8		
DERAEDT	2733 NRR*	46.3	9/26	2.1	37	36.3	18.8	56.0	33.1	49.7	47.6		
EXCEL	8226 RR	45.6	9/21	1.6	34	35.9	19.3	59.2	31.7	45.8			
EXCEL	8227 RR	43.3	9/21	1.6	35	36.3	18.8	61.3	30.9	37.8			
EXCEL	8236 NRR	46.2	9/22	1.8	32	36.1	19.3	60.3	34.0	44.3			
EXCEL	8237 RR	40.1	9/22	2.3	38	35.4	19.5	50.4	30.7	39.2			
EXCEL	8258 RR	40.3	9/23	2.0	35	35.6	19.1	51.6	31.4	37.9			
FONTANELLE	8062 RR*	41.5	9/22	1.8	35	35.1	19.3	55.2	28.7	40.7			
FONTANELLE	8153 RR*	41.9	9/22	1.8	37	35.7	18.8	54.4	30.4	40.7			
FS HISOY	HS 2725*	45.6	9/24	1.7	33	35.3	19.6	56.4	34.8	45.5	46.7		
FS HISOY	HS 2815*	45.9	9/24	1.7	34	34.8	19.5	55.2	37.5	45.2			
FS HISOY	HS 2826	44.2	9/25	2.0	36	36.9	18.7	53.3	35.6	43.8			
FS HISOY	X 2635	40.5	9/26	1.8	34	35.7	19.2	47.7	28.1	45.7			
FS HISOY	X 2736	45.4	9/25	2.1	38	37.0	18.8	54.4	35.4	46.5			
GARST	2332 RR	45.4	9/23	2.0	34	36.3	19.3	58.0	30.2	48.0	45.6		
GARST	2603 RR*	44.1	9/22	1.7	37	35.4	19.8	58.9	33.8	39.7			
GARST	2677 RR*	40.7	9/20	1.9	33	36.2	19.3	54.9	29.4	37.8	44.7		
GARST	2812 RR/N*	44.9	9/27	2.1	34	36.8	18.7	53.1	35.8	45.7			
GARST	2903 RR	43.7	9/27	1.9	40	35.2	19.5	54.5	30.1	46.3			
GMA	SVI 2239 SCNRR	38.3	9/19	2.0	36	36.3	19.5	49.1	27.5	38.2			
GMA	SVI 2241 SCNRR	41.6	9/19	1.7	35	36.4	19.1	54.8	27.7	42.3			
GMA	SVI 2323 SCNRR	38.4	9/20	1.9	36	36.2	19.1	47.8	30.6	37.0			
GMA	SVI 2326 SCNRR	39.1	9/20	2.2	37	36.7	19.0	48.9	27.6	40.7			
GMA	SVI 2327 SCNRR	42.3	9/20	1.9	35	37.3	18.6	49.9	31.0	46.1			
GMA	SVI 2329 SCNRR	37.6	9/19	2.1	33	37.2	18.6	45.6	29.3	37.8			
GMA	SVI 2331 SCNRR	39.7	9/18	1.8	35	36.4	19.2	52.2	30.3	36.6			
GMA	SVI 2433 SCNRR	38.9	9/21	1.9	38	37.1	18.9	46.1	30.8	39.7			
GMA	SVI 2435 SCNRR	39.2	9/20	2.1	37	36.3	19.4	47.6	29.2	41.0			
GMA	SVI 2440 SCNRR	43.6	9/22	1.9	35	35.5	19.8	54.6	32.4	43.7			
GMA	SVI 2445 SCNRR	38.4	9/20	2.2	39	36.2	19.3	46.5	29.8	38.8			
GMA	SVI 2552 SCNRR	41.2	9/23	1.7	35	35.7	19.5	49.8	32.7	41.0			
GMA	SVI 2554 SCNRR	40.5	9/22	1.7	35	36.9	19.0	49.8	29.0	42.8			
GMA	SVI 2627 SCNRR	37.5	9/23	1.7	34	36.9	18.7	45.3	30.6	36.6			
GMA	SVI 2628 SCNRR	40.9	9/24	1.7	33	35.8	19.1	48.9	33.2	40.6			
GMA	SVI 2629 SCNRR	39.3	9/24	1.8	35	37.2	18.6	47.2	30.2	40.7			
GMA	SVI 2778 SCNRR	40.0	9/22	2.2	40	35.6	19.7	43.6	34.1	42.3			
GMA	SVI 2779 SCNRR	40.0	9/25	2.4	37	37.5	18.2	46.8	31.7	41.5			
GMA	SVI 2862	40.3	9/21	1.8	33	35.5	19.4	53.5	28.4	39.1			
GMA	SVI 58091 SCNRR	41.8	9/21	2.0	37	36.8	19.2	48.5	32.8	44.2			
GOLDEN HARVEST	H 2453 RR*	38.2	9/19	1.8	32	36.3	19.4	52.5	28.3	33.8	43.6	49.1	
GOLDEN HARVEST	H 2824 RR*	43.5	9/28	2.0	39	35.0	19.5	50.2	36.1	44.2	43.2	48.4	

**2003 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*ISPOB nominated variety												
GOLDEN HARVEST	H 2929 RR	47.6	9/24	1.7	34	34.9	19.5	58.0	37.6	47.1			
GOLDEN HARVEST	X 22531 RR	41.1	9/24	1.6	33	34.4	19.2	53.1	32.0	38.2			
GOLDEN HARVEST	X 32448 RR	46.9	9/21	1.7	32	36.1	19.3	59.6	34.1	47.1			
GOLDEN HARVEST	X 32627 RR	40.9	9/26	1.9	34	35.7	19.3	48.5	30.5	43.7			
GREAT LAKES	GL 2301 RR	40.6	9/20	1.8	32	36.1	19.3	56.6	29.3	35.9	44.0		
GREAT LAKES	GL 2419 RR	43.0	9/22	2.0	33	36.0	19.1	58.2	28.8	42.1			
HENKEL	SS 6401	46.9	9/24	1.6	37	36.2	19.7	57.3	36.0	47.3			
HENKEL	SS 8201	39.4	9/26	1.9	35	35.9	19.3	47.4	30.9	39.9	43.4		49.2
HORIZON	H 270 NRR*	40.9	9/25	1.9	36	35.9	18.0	46.8	31.4	44.4			
HORIZON	H 285 NRR*	43.7	9/28	1.9	36	36.3	18.8	53.9	33.7	43.5			
HORIZON	H 299 NRR	43.5	9/29	2.1	34	35.7	19.1	55.2	31.0	44.3			
HUGHES	551 RR*	43.8	9/22	1.8	36	35.8	19.5	58.3	33.8	39.3	47.4		51.1
HUGHES	612 RR	43.8	9/22	1.7	38	35.4	19.8	60.0	32.5	38.9			
HUGHES	754 RR	40.7	9/24	1.9	36	36.2	19.1	47.2	30.9	43.8			
HUGHES	852 RR	43.9	9/28	2.0	35	36.3	18.8	51.5	34.9	45.4	45.3		
KALTENBERG	KB 251 RR*	44.2	9/24	2.2	40	36.4	19.0	55.7	30.9	45.9			
KALTENBERG	KB 264 RR*	39.8	9/23	2.0	37	36.5	19.0	46.6	31.7	41.2	45.4		
KALTENBERG	KB 275 RR*	44.0	9/24	2.2	37	34.2	20.1	57.0	36.4	38.6	46.8		
KRUGER	211+ RR	45.5	9/21	1.7	32	34.3	19.9	59.0	35.7	41.8	45.6		
KRUGER	222A RR	44.7	9/21	1.6	37	36.2	18.9	58.8	33.6	41.6			
KRUGER	223 RR	46.1	9/19	1.8	30	34.9	19.6	61.7	32.9	43.7	45.3		52.3
KRUGER	223+ RR	45.0	9/19	1.4	29	34.6	19.8	62.0	33.3	39.8	44.9		
KRUGER	230 RR	40.4	9/20	1.9	34	36.2	18.8	52.7	29.5	39.0			
KRUGER	233+ RR	46.1	9/21	1.7	34	35.7	19.4	57.7	33.6	47.0			
KRUGER	245 RR	40.9	9/23	2.1	36	35.6	19.1	52.1	30.2	40.4			
KRUGER	251 RR	43.5	9/23	2.3	38	35.1	19.2	55.7	33.9	41.1			
KRUGER	252 RR	40.1	9/21	2.0	36	35.7	19.0	52.7	30.3	37.5			
KRUGER	256 RR	44.3	9/24	2.0	37	36.2	19.3	55.6	32.2	45.2			
KRUGER	259 RR	37.7	9/27	1.9	34	36.2	19.1	41.9	28.2	43.0			
KRUGER	260 RR	44.2	9/25	2.0	37	35.7	19.0	53.6	31.0	48.0			
KRUGER	262-2 RR	39.5	9/19	2.0	33	36.3	19.2	50.7	31.0	36.7	43.3		48.8
KRUGER	268 RR	44.8	9/22	1.8	34	34.7	19.9	59.1	34.0	41.1	47.2		
KRUGER	269 RR	37.8	9/23	1.9	35	36.4	18.7	45.9	29.8	37.7	44.3		
KRUGER	270 RR	44.1	9/26	2.6	40	34.7	19.8	53.2	37.8	41.3			
KRUGER	282 RR/SCN	46.3	9/28	2.2	37	36.9	18.7	56.7	34.7	47.4	46.7		
KRUGER	282+ RR	46.1	9/22	1.8	35	35.9	19.9	56.3	38.3	43.7	47.7		
KRUGER	288 RR/SCN*	46.5	9/23	2.2	36	36.9	18.8	54.5	38.1	46.8	47.1		
KRUGER	288A RR/SCN	45.4	9/25	2.2	37	36.7	18.8	53.8	36.4	45.8			
KRUGER	289 RR/SCN	43.1	9/23	2.1	38	36.8	18.6	50.5	35.0	43.9			
KRUGER	289+ RR	46.0	9/27	1.7	35	34.9	19.7	59.0	35.5	43.4			
KRUGER	292 RR	42.9	9/28	1.9	32	35.8	19.4	55.0	31.9	41.9	46.1		
KRUGER	299 RR/SCN	41.3	9/27	2.2	37	35.0	19.3	48.8	35.1	40.1			

**2003 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*ISPOB nominated variety												
KRUGER	303 RR/SCN	43.0	9/25	2.0	34	35.9	19.0	55.8	29.4	44.0			
LATHAM	957 RRN	42.6	9/29	2.0	34	35.8	19.2	53.9	31.5	42.3			
LATHAM	967 RR	45.6	9/26	2.1	40	34.0	20.1	57.9	38.9	39.9	47.9		
LATHAM	E 2709 R	36.9	9/26	2.1	38	36.9	18.7	44.9	28.8	37.2			
LATHAM	E 2809 R	38.6	9/24	2.1	40	36.8	18.6	49.5	29.5	36.9			
LG SEEDS	C 2666 NRR*	41.0	9/25	1.9	35	36.2	19.0	46.1	32.0	44.8			
MERSCHMAN	APACHE VIII RR	40.2	9/27	1.8	35	35.9	19.1	48.5	29.9	42.3	45.4		
MERSCHMAN	CHEROKEE XRR*	42.2	9/28	2.0	34	35.7	19.1	56.9	30.2	39.4			
MERSCHMAN	CHICKASAW VIII RR*	44.2	9/25	2.0	36	36.7	18.8	54.8	34.8	43.0			
MERSCHMAN	MOHAWK RR	40.2	9/22	2.0	34	35.2	19.1	47.1	33.6	39.8			
MERSCHMAN	MOHEGAN IV RR	44.6	9/29	1.9	39	36.3	19.8	52.4	33.1	48.3	45.0	48.3	
MERSCHMAN	MUNSEE IV RR	44.6	9/20	1.7	31	34.2	19.8	61.0	35.4	37.4			
MERSCHMAN	SIOUX I RR	44.4	9/22	1.7	32	35.4	19.4	55.3	32.9	45.1	46.4		
MIDWEST SEED GEN	GR 2485*	43.4	9/23	1.8	36	35.3	19.2	55.2	35.3	39.8			
MIDWEST SEED GEN	GR 2626*	44.0	9/24	1.9	37	34.9	19.9	57.9	31.8	42.3			
MYCOGEN	5B242 RR*	38.7	9/21	1.9	32	36.1	19.3	51.6	28.7	35.8			
MYCOGEN	5B288 RR*	43.8	9/27	1.6	33	35.0	19.5	55.1	36.6	39.6			
MYCOGEN	5N289 RR*	44.9	9/25	2.0	35	36.7	18.8	54.2	35.6	44.9			
PATRIOT	23R19*	45.4	9/21	1.7	35	36.0	19.4	60.4	32.1	43.9			
PATRIOT	26X16*	39.2	9/25	2.0	36	35.8	19.3	43.2	31.6	42.7			
PIONEER	92B38	43.6	9/19	1.8	36	36.7	18.8	60.4	32.7	37.8	43.8		
PIONEER	92M50	42.8	9/22	2.1	39	34.9	19.9	54.7	31.0	42.8			
PIONEER	92M70	45.7	9/24	2.6	37	35.0	19.5	58.0	34.5	44.7			
PIONEER	92M71	44.2	9/21	1.7	35	36.0	19.4	55.2	36.1	41.1			
PIONEER	92M80	46.1	9/21	1.8	33	36.1	19.4	57.9	36.9	43.6			
PRAIRIE BRAND	PB-2243 RR	46.6	9/21	1.7	31	34.0	20.0	61.0	37.2	41.5			
PRAIRIE BRAND	PB-2343 RR	39.8	9/20	1.9	33	36.4	18.6	51.6	29.8	38.0			
PRAIRIE BRAND	PB-2443 RR	47.4	9/22	1.7	33	35.8	19.4	60.7	34.0	47.4			
PRAIRIE BRAND	PB-2552 RR	40.2	9/23	1.8	34	36.2	18.9	45.5	29.2	45.8	45.8		
PRAIRIE BRAND	PB-2643 RR	45.6	9/28	1.7	35	34.5	19.8	55.9	35.2	45.5			
PRAIRIE BRAND	PB-2892 NRR	45.8	9/24	2.3	36	36.8	18.8	54.6	36.0	46.8			
RENK	RS 223 RR	45.3	9/19	1.7	31	34.7	19.8	61.5	37.5	37.1			
RENK	RS 253 RR	40.7	9/23	2.0	35	36.7	19.3	50.5	31.4	40.2			
RENK	RS 272 RR	45.2	9/22	1.7	34	35.6	19.9	54.1	35.9	45.8	47.1		
RENK	RS 293 RR	43.1	9/24	2.0	32	35.9	19.3	54.9	32.1	42.2			
ROESCHLEY	8259 CRR*	41.4	9/29	2.0	35	35.3	19.2	53.9	29.3	41.1			
SCHILLINGER	252.RP	43.0	9/21	1.8	32	34.5	20.1	54.2	35.1	39.9			
SCHILLINGER	272.RC*	44.4	9/26	2.2	35	37.0	18.7	52.2	36.4	44.6			
SIEBEN	2603 NRR	43.4	9/24	1.9	35	37.1	18.9	53.9	32.9	43.3	45.2		
SIEBEN	2702 RR*	44.1	9/22	2.2	40	33.8	20.2	55.9	38.4	38.0			
SIEBEN	2804 NRR	40.7	9/25	1.8	36	36.0	19.1	42.6	33.1	46.4	45.0		
SIEBEN	2903 NRR	42.5	10/1	2.0	34	35.4	19.3	53.5	30.0	43.9	44.0		

**2003 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*ISPOB nominated variety												
STINE	S 2640-4	39.7	9/24	1.8	35	35.8	19.1	45.8	28.9	44.4			
STINE	S 2743-4	47.9	9/27	1.6	36	34.3	19.9	56.8	37.1	49.9			
STINE	S 2783-4*	44.8	9/23	1.8	33	35.9	19.3	56.2	32.6	45.7	45.7		
STINE	S 2842-4	46.3	9/26	2.3	35	36.6	18.8	54.5	35.6	48.7	47.2		
SYNGENTA	S 24-K4*	42.2	9/19	2.3	36	35.2	19.7	56.5	31.5	38.7			
SYNGENTA	S 28-W2*	39.4	9/20	1.8	34	34.5	20.2	48.3	33.0	36.8			
TRELAY	HC-2250 RR	39.6	9/25	1.9	34	36.1	19.0	47.8	27.8	43.2			
TRELAY	HC-2262 RR	44.5	9/22	1.8	36	35.0	20.1	57.9	33.1	42.5			
TRELAY	HC-2282 RR	48.2	9/25	1.6	35	34.6	19.6	59.0	36.2	49.4	48.8	52.0	
VIGORO	V 254 RR	39.4	9/23	2.1	36	35.9	18.9	49.5	31.0	37.6			
VIGORO	V 282 RR	47.8	9/25	1.6	33	34.7	19.5	56.8	39.2	47.6	48.3	52.5	
WILKEN	2217 RR	40.9	9/20	1.7	30	33.5	20.4	54.4	30.9	37.5	43.9		
WILKEN	2301 RR	43.0	9/19	1.7	33	35.7	19.7	61.2	26.9	40.8			
WILKEN	2321 NRR	40.7	9/23	1.8	36	36.9	19.8	51.4	31.3	39.5	43.4		
WILKEN	2547 RR*	39.9	9/19	1.9	31	36.3	19.3	55.7	29.0	35.1			
WILKEN	2586 RR*	47.2	9/26	1.5	34	34.4	19.6	61.3	38.4	42.0			
WILKEN	2663 RR*	45.4	9/23	2.3	39	34.1	20.1	58.5	37.2	40.4			
WILKEN	2665 NRR	42.3	9/24	1.8	35	36.9	19.0	51.4	32.0	43.4			
WILKEN	2671 NRR	43.6	9/24	2.2	38	37.1	18.7	53.2	33.7	44.0			
WILKEN	2678 RR	43.9	9/24	1.6	33	35.3	19.6	51.5	35.6	44.8			
WILKEN	2685 RR	46.1	9/25	2.0	35	33.6	20.4	57.2	35.7	45.5			
WILKEN	WX 173 NRR	46.7	9/28	2.4	38	36.7	18.8	51.7	38.5	49.7			
WILLCROSS	RR 2242*	41.3	9/20	1.8	31	36.0	19.5	57.7	28.2	38.0			
WILLCROSS	RR 2243	43.7	9/25	2.4	38	34.8	19.4	52.6	36.7	41.8			
WILLCROSS	RR 2253	41.8	9/27	1.8	34	35.6	19.3	50.2	29.7	45.4	47.0		
WILLCROSS	RR 2261*	41.7	9/25	1.9	39	35.0	19.7	52.7	32.1	40.2			
WILLCROSS	RR 2283 N	46.0	9/25	2.3	36	36.7	18.6	51.9	35.9	50.2			
WILLCROSS	RR 2284	44.6	9/25	1.9	37	34.2	20.1	53.9	33.4	46.6			
WILLCROSS	RR 2293 N	44.2	9/25	2.2	35	36.6	18.8	53.8	35.0	43.9			
	AVERAGE	43.0	9/23	1.9	35	35.8	19.3	53.7	32.9	42.4	45.6	50.6	
	L.S.D. 25% LEVEL	3.1		0.2	2	0.45	0.33	3.6	1.8	3.0			
	COEFF. OF VAR. (%)	13.5		19.5	8	2.3	3.2	7.2	5.9	7.5			

**MATURITY GROUP 3**

ASGROW	AG 3005	47.4	9/29	1.9	37	34.0	19.9	52.7	40.4	49.2		
ASGROW	AG 3201*	44.1	9/28	1.9	38	34.2	19.5	58.9	34.9	38.6		
ASGROW	AG 3202	41.8	10/1	2.6	42	34.4	19.4	45.8	38.6	40.9		
DAIRYLAND	DSR-326 RR	39.5	10/2	2.1	39	35.8	19.1	43.6	35.4	39.4		
DAIRYLAND	DST 3150 RR	39.5	9/24	2.0	36	35.3	19.4	40.8	36.8	40.9		
DAIRYLAND	DST 3151 RR	42.9	9/28	2.1	38	35.1	19.2	47.4	35.3	46.1		

**2003 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
DEKALB	DKB 31-51*	48.8	10/1	2.1	38	35.2	19.8	52.3	44.4	49.7	52.0		
FS HISOY	X 3035	40.8	9/25	1.8	31	35.8	19.5	49.1	34.6	38.6			
GMA	SVI 3047 SCNRR	39.0	9/29	2.2	38	35.9	18.6	44.1	34.4	38.4			
GOLDEN HARVEST	H 3135 RR*	40.9	9/28	1.8	35	34.3	19.9	45.4	36.4	41.0			
GOLDEN HARVEST	X 33003 RR	41.9	9/24	1.9	32	35.7	19.4	52.1	35.3	38.3			
KALTENBERG	KB 311 RR	42.2	9/26	1.8	34	36.0	19.0	53.8	34.3	38.7			
KRUGER	318 RR	47.1	9/27	1.9	35	34.6	20.2	59.4	38.8	43.2			
LATHAM	1067 RR	42.1	9/26	1.9	36	34.7	19.6	49.5	33.4	43.5	48.2	53.8	
MYCOGEN	5B311 RR*	40.8	9/26	1.9	35	34.7	19.6	43.3	37.0	42.1			
PIONEER	93B09*	45.6	9/25	1.8	35	35.4	20.4	56.1	38.2	42.4	49.3		
TRELAY	HC-2302 RR	43.1	9/26	1.9	31	35.7	19.6	55.1	34.5	39.7			
VIGORO	V 314 RR	46.0	9/28	2.0	35	34.4	20.2	55.6	40.5	41.7			
	AVERAGE	43.0	9/27	2.0	36	35.1	19.6	50.3	36.8	41.8	49.8	53.8	
	L.S.D. 25% LEVEL	3.5		0.2	2	0.47	0.25	2.6	1.5	1.2			
	COEFF. OF VAR. (%)	14.7		16.5	8	2.4	2.3	9.2	7.1	4.9			