

2004 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @ 13%	Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @ 13%						
MATURITY GROUP 2												
AGSOURCE	9263*	65.3	9/14	1.8	36	37.1	18.4	68.6	66.0	61.3		
AGSOURCE	9283*	57.2	9/13	1.2	32	35.6	18.3	53.8	58.9	59.0		
AGSOURCE	9285	67.2	9/11	2.3	36	35.3	18.5	68.7	66.7	66.1		
AGSOURCE	9294*	67.1	9/15	1.8	32	34.9	18.7	65.0	68.8	67.4		
AGVENTURE	24J3 RR*	63.7	9/8	1.7	30	35.8	18.6	65.4	64.3	61.3		
ASGROW	AG 2801	67.6	9/13	1.8	35	35.8	18.3	69.9	64.4	68.6		
ATLAS	5B288 RR*	58.4	9/12	1.3	31	35.3	18.2	56.6	59.9	58.7	52.7	
BECK	274 NRR	66.2	9/13	2.4	36	34.9	18.7	68.8	63.1	66.8		
BECK	295 NRR*	66.4	9/17	2.4	35	36.4	18.8	64.2	65.7	69.4	58.5	58.4
DAIRYLAND	DSR-2501 RR	67.4	9/13	1.8	36	37.0	18.5	71.6	65.4	65.2		
DAIRYLAND	DSR-2801 RR	62.4	9/17	2.0	39	36.8	17.7	63.3	63.0	60.8		
DAIRYLAND	DST 28-000 RR	61.2	9/12	2.0	37	35.4	18.3	61.1	65.0	57.5		
DAIRYLAND	DST 29-000 RR	59.7	9/11	1.6	33	36.4	19.0	60.5	60.3	58.3		
DEKALB	DKB 28-53	67.1	9/11	2.4	35	35.2	18.6	68.8	67.6	64.8		
DIENER	D 2605 CR	64.6	9/14	1.8	31	37.3	18.1	63.3	67.5	62.9		
DIENER	D 2615 RR	65.9	9/12	1.8	33	34.7	19.1	66.5	65.1	66.1		
DIENER	D 2911 CR	66.3	9/15	1.7	35	37.5	18.1	67.5	65.3	66.0	56.2	
EXCEL	8259 RR	64.7	9/12	1.7	33	34.7	18.7	65.0	68.0	61.1		
EXCEL	8260 RR	66.3	9/13	1.6	36	36.7	18.7	68.9	68.4	61.5		
EXCEL	8297 NNRR	63.6	9/17	1.8	39	36.7	17.7	67.4	63.0	60.4	55.3	
FONTANELLE	8184 RR*	58.9	9/12	1.4	32	35.4	18.3	58.2	58.6	59.8		
FS HISOY	HS 2815*	60.4	9/13	1.5	32	35.2	18.4	56.4	63.9	60.7		
FS HISOY	HS 2826	66.0	9/16	1.7	36	37.3	18.2	70.8	66.0	61.3	56.0	
FS HISOY	X 2846	64.0	9/12	2.4	35	35.2	18.6	63.4	65.1	63.5		
GARST	2724 RR/N	67.1	9/14	1.9	38	37.0	18.4	70.5	64.9	65.8		
GARST	2812 RR/N*	66.9	9/17	1.7	36	37.3	18.2	68.5	67.5	64.6	56.2	
GMA	SVI 2781 SCNRR	62.8	9/14	2.4	39	36.5	18.3	63.1	61.9	63.4		
GMA	SVI 2959 SCNRR	62.2	9/17	2.4	38	37.2	17.5	64.0	60.3	62.2		
GOLDEN HARVEST	H-2436 RR*	60.0	9/9	1.6	33	34.6	18.6	62.0	60.4	57.8		
GOLDEN HARVEST	H-2698 RR*	61.7	9/15	2.2	34	37.4	17.7	63.3	63.4	58.3		
GOLDEN HARVEST	H-2739 RR	62.9	9/10	1.3	32	36.0	19.0	60.3	66.7	61.6		
GOLDEN HARVEST	H-2811 RR*	62.7	9/10	2.1	36	35.0	19.2	63.8	62.9	61.4	55.0	56.4
GOLDEN HARVEST	H-2824 RR*	65.9	9/17	1.8	37	36.6	18.3	70.9	62.8	64.0	59.1	59.3
GREAT LAKES	GL 2419 RR*	62.4	9/10	1.5	33	34.5	18.9	67.2	62.3	57.9		
GREAT LAKES	GL 2709 RR*	62.1	9/12	1.9	35	38.2	17.5	64.4	62.6	59.4		
GREAT LAKES	GL 2819 RR*	66.6	9/14	1.7	35	37.8	18.0	68.0	66.2	65.5	57.6	
HENKEL	SS 6401 RR*	63.4	9/8	1.7	35	36.6	18.8	64.3	61.3	64.6		
HENKEL	SS 8503 RR*	67.1	9/15	1.8	35	37.2	18.3	70.2	68.3	62.7		
HENKEL	SS 9304 RR*	64.5	9/17	2.2	35	36.6	17.8	64.1	65.4	64.1		
HENKEL	SS 9405 RR	65.5	9/12	2.3	37	35.3	18.5	66.9	66.7	62.8		
HORIZON	H 270 NRR*	63.3	9/13	1.9	35	35.6	18.4	62.3	66.2	61.3	52.1	55.3
HORIZON	H 283 NRR*	64.7	9/12	2.4	37	35.0	18.7	68.3	65.3	60.6		

*Producer Nominated

2004 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @ 13%	Monmouth	Goodfield	Dwight	2 yr	3 yr
				Lodging	Height in	Protein @ 13%		Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a
	*Producer Nominated											
HORIZON	H 285 NRR*	64.4	9/16	1.8	36	37.4	18.2	66.5	66.6	60.2	55.2	58.1
HUBNER	H 291 NRR*	66.9	9/17	2.3	37	36.2	19.0	68.1	64.6	67.8		
KRUGER	261 RR/SCN	66.6	9/14	1.7	35	36.9	18.6	71.6	67.1	61.1		
KRUGER	263 RR	62.3	9/12	2.1	38	35.3	18.8	63.1	62.5	61.2		
KRUGER	265+ RR/SCN	64.5	9/9	2.3	39	36.1	18.1	65.3	62.9	65.3		
KRUGER	267 RR	62.8	9/12	2.7	37	36.3	18.2	65.1	60.3	62.9		
KRUGER	270 RR	61.1	9/10	2.2	38	35.1	19.0	58.6	65.8	58.8	53.1	55.4
KRUGER	273 RR	64.4	9/10	2.3	36	35.8	18.6	64.7	62.7	65.6		
KRUGER	277 RR/SCN	63.1	9/10	1.6	34	34.9	18.5	63.4	63.4	62.5		
KRUGER	277+ RR/SCN*	67.7	9/12	1.8	32	37.4	18.1	71.0	69.0	63.2		
KRUGER	277+A RR/SCN	66.7	9/14	1.8	32	37.6	17.9	69.0	67.9	63.3		
KRUGER	282 RR/SCN	67.3	9/13	1.9	36	37.5	18.1	69.6	68.9	63.5	56.5	58.7
KRUGER	287 RR/SCN	68.4	9/12	2.4	35	35.1	18.6	71.9	65.3	68.0		
KRUGER	287A RR/SCN	67.4	9/12	2.5	37	35.3	18.5	67.9	67.3	66.9		
KRUGER	288 RR/SCN*	68.2	9/13	1.9	36	37.3	18.4	72.2	67.2	65.2	57.2	59.4
KRUGER	289+ RR	60.4	9/10	1.8	32	35.0	19.1	59.9	59.1	62.3	54.0	
KRUGER	292 RR	63.3	9/15	1.9	30	35.2	18.6	62.0	64.4	63.5	54.9	56.0
KRUGER	297 RR/SCN	66.9	9/17	2.3	35	36.7	18.4	65.1	67.1	68.6		
KRUGER	297A RR/SCN	69.4	9/17	2.4	35	36.6	18.4	70.3	68.8	69.2		
KRUGER	298 RR	61.2	9/14	1.8	34	35.4	18.3	58.9	64.4	60.4		
KRUGER	299 RR/SCN*	68.7	9/15	1.8	36	36.7	17.8	73.1	67.2	65.8	57.6	
LEWIS	2822*	65.3	9/15	1.8	36	37.5	18.2	68.6	64.2	63.1	56.3	
LEWIS	2896	65.6	9/11	2.3	36	35.4	18.5	68.1	65.4	63.4		
LG SEEDS	C 2844 NRR*	67.7	9/14	1.8	35	37.4	18.2	72.4	67.2	63.5		
MERSCHMAN	CHEROKEE XRR*	68.1	9/15	1.6	34	35.3	18.3	70.6	68.7	65.0	58.2	58.7
MERSCHMAN	CHICKASAW VIII RR	66.8	9/16	1.9	35	37.5	18.1	68.7	66.0	65.6	55.8	
MERSCHMAN	MOHEGAN IV RR*	65.7	9/15	2.3	38	37.1	18.8	67.2	62.7	67.2		
MERSCHMAN	SHAWNEE 527 RR	67.2	9/13	1.8	30	37.5	18.1	69.1	66.8	65.7		
MERSCHMAN	SIoux I RR	62.3	9/12	1.4	32	35.9	18.9	66.0	62.8	58.2	53.9	56.3
MONIER	M 2808 RR	67.6	9/12	2.4	37	35.5	18.4	68.4	69.0	65.3		
MWS	2856 CRR*	66.8	9/16	1.7	35	37.3	18.1	70.0	66.3	64.1	54.9	
MWS	2944 CRR*	64.8	9/15	2.0	35	36.5	18.0	67.0	62.2	65.1	57.1	
NC+	2A73 RR*	62.7	9/12	1.4	34	35.9	19.0	63.4	64.4	60.1		
NC+	2A93 RR*	64.9	9/15	2.0	30	35.0	18.8	61.0	67.4	66.1		
NC+	2A98 RR*	60.8	9/12	2.0	37	34.9	19.2	59.8	62.4	60.4		
NK BRAND	S 27-T7*	61.7	9/9	1.6	31	34.8	19.6	62.2	64.1	58.6		
NU-AG	284 NRR*	67.3	9/14	1.8	35	37.2	18.2	70.5	66.3	64.9		
NU-AG	292 NRR*	65.5	9/14	1.8	33	35.0	18.6	67.3	63.9	65.3	55.3	
PIONEER	92M70*	68.9	9/12	2.0	36	34.9	19.0	73.3	68.6	64.9	59.6	
PIONEER	92M91*	64.0	9/11	1.8	36	34.2	20.4	66.8	59.8	65.5		
PIONEER	92M92	71.1	9/15	2.1	40	36.5	17.4	68.3	73.5	71.4		
PRAIRIE BRAND	PB-2643 RR	64.4	9/12	1.6	35	34.6	19.1	62.5	67.2	63.6	56.1	
PRAIRIE BRAND	PB-2794 NRR	65.7	9/11	2.4	37	35.1	18.7	67.8	66.1	63.1		
ROESCHLEY	5247 RR	62.5	9/11	1.7	32	34.5	19.2	60.0	64.3	63.2		

2004 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @ 13%	Monmouth	Goodfield	Dwight	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @ 13%		Yield bu/a	Yield bu/a	Yield bu/a		
	*Producer Nominated											
SIEBEN	SS 2304 NRR*	63.2	9/8	1.6	31	35.8	18.6	66.1	64.8	58.8		
SIEBEN	SS 2805 NRR*	67.2	9/14	1.8	37	37.0	18.4	72.2	66.1	63.4		
STINE	S 2702-4	65.4	9/12	1.8	32	37.4	18.1	66.9	64.5	64.7		
STINE	S 2783-4	61.4	9/11	1.3	31	36.1	18.9	62.7	62.1	59.3	52.9	55.3
STINE	S 2842-4*	66.4	9/14	1.7	36	37.1	18.2	67.3	65.9	66.0	56.7	58.6
STINE	S 2912-4	70.4	9/16	2.3	36	35.9	19.0	69.6	70.6	70.9		
TRISLER TRISOY	2933 RR	59.6	9/15	2.0	30	35.4	18.6	56.7	61.0	61.2	52.7	
WILKEN	2319 RR	60.9	9/8	1.8	32	36.2	18.4	60.1	63.5	59.3	52.1	
WILKEN	2341 NRR	64.0	9/9	1.5	30	36.0	18.5	63.3	65.4	63.1	54.6	
WILKEN	2531 NRR*	61.3	9/8	2.0	34	36.6	18.8	61.5	60.0	62.3	52.9	
WILKEN	2541 NRR	62.5	9/6	1.8	35	35.7	18.2	65.2	63.3	58.9		
WILKEN	2574 RR	64.2	9/13	1.7	35	34.7	19.2	65.6	66.2	60.8	55.0	
WILKEN	2659 RR	61.7	9/13	1.7	31	34.2	18.6	64.3	59.9	61.0		
WILKEN	2663 RR*	59.9	9/11	1.9	36	35.2	19.0	57.8	63.5	58.3	53.1	55.1
WILKEN	2665 NRR	63.0	9/14	2.0	35	38.1	17.6	63.8	64.4	60.7	53.5	
WILKEN	2671 NRR*	67.3	9/13	1.9	35	37.2	18.4	71.0	66.1	64.6	56.5	
WILKEN	2678 RR	62.8	9/11	1.4	33	36.1	18.8	63.4	62.2	62.7	54.1	
WILKEN	2685 RR*	64.4	9/12	2.0	34	34.3	19.3	62.9	63.7	66.5	55.0	
WILKEN	2765 NRR	64.1	9/13	1.7	32	37.4	18.2	66.0	64.2	62.1		
WILKEN	2782 NRR	65.9	9/10	2.1	40	36.0	18.0	66.1	65.8	65.8		
WILKEN	2788 NRR*	66.4	9/15	1.8	36	37.3	18.2	69.5	66.4	63.2		
WILKEN	2791 NRR	66.2	9/14	1.9	39	37.3	18.3	69.6	65.3	63.8		
WILKEN	WX 134 NRR	64.4	9/16	2.0	39	36.5	17.9	68.1	62.4	62.7	55.7	
WILKEN	WX 300 RR	64.3	9/16	2.0	40	35.4	19.4	67.0	61.6	64.4		
WILLCROSS	RR 2215	62.9	9/18	2.3	35	35.3	19.3	64.6	58.4	65.6		
WILLCROSS	RR 2254	58.4	9/9	1.7	36	35.1	19.1	59.9	57.1	58.2		
WILLCROSS	RR 2255 N	59.3	9/7	1.6	37	34.4	19.0	60.5	61.5	55.9		
WILLCROSS	RR 2272 N*	65.1	9/13	1.9	38	35.6	18.5	67.0	66.6	61.7		
WILLCROSS	RR 2274	62.5	9/10	1.6	32	34.9	18.9	66.2	59.8	61.5		
WILLCROSS	RR 2283 N*	65.1	9/15	1.8	37	37.1	18.3	67.1	66.8	61.5	55.7	
WILLCROSS	RR 2284	64.8	9/11	2.0	35	34.6	19.4	66.9	60.6	66.9		
WILLCROSS	RR 2295 N	65.5	9/13	2.6	37	35.2	18.6	63.5	66.3	66.8		
	AVERAGE	64.4	9/13	1.9	35	36.1	18.4	65.7	64.6	63.0	55.3	57.2
	L.S.D. 25% LEVEL	2.3		0.2	1	0.40	0.22	3.0	2.9	3.0		
	COEFF. OF VAR. (%)	6.5		18.7	7	2.0	2.2	4.9	4.7	5.1		
MATURITY GROUP 3												
AGSOURCE	9323*	61.7	9/19	2.6	38	35.6	18.3	61.2	60.8	62.9		
AGSOURCE	9375	62.5	9/22	2.3	39	35.1	18.2	62.3	61.2	63.9		
AGSOURCE	X 39295 N	63.6	9/17	2.2	40	36.5	17.8	63.9	64.4	62.5		
AGVENTURE	34J1 NRR*	69.9	9/21	2.5	36	35.9	18.7	67.4	71.2	71.2		
ASGROW	AG 3101	66.8	9/16	2.2	39	37.7	17.1	65.3	67.4	67.6		

2004 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @ 13%	Monmouth	Goodfield	Dwight	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @ 13%		Yield bu/a	Yield bu/a	Yield bu/a		
	*Producer Nominated											
ASGROW	AG 3202*	66.7	9/18	2.8	39	35.4	18.5	69.3	66.7	64.0	56.8	
ASGROW	AG 3305	69.4	9/23	2.4	35	33.8	18.3	64.8	72.0	71.4		
ASGROW	AG 3602	73.1	9/24	2.2	40	37.0	17.0	77.7	72.4	69.2		
ASGROW	AG 3802	67.3	9/27	2.3	42	35.6	17.3	67.6	69.3	65.1		
ATLAS	5B381 NRR*	70.1	9/26	2.5	35	34.7	19.5	66.0	74.1	70.3	59.3	
ATLAS	5N327 RR*	68.9	9/19	2.5	36	35.9	19.3	70.4	66.7	69.5		
ATLAS	5N351 RR*	71.9	9/20	2.5	36	36.1	18.7	71.9	74.0	69.7	62.2	
BECK	323 RR*	70.4	9/18	2.4	37	36.0	19.2	69.6	70.0	71.6	62.4	63.5
BECK	354 NRR	68.5	9/23	2.3	41	37.7	17.0	73.7	68.1	63.8		
BECK	367 NRR*	69.5	9/26	2.7	36	34.4	19.4	63.0	73.6	71.9	59.3	60.2
BECK	375 NRR*	67.0	9/25	2.4	39	36.3	18.1	66.7	68.8	65.5	62.6	
DAIRYLAND	DSR-297 RR*	64.8	9/16	2.4	35	35.3	19.4	67.5	67.1	59.9	52.5	54.7
DAIRYLAND	DSR-3000 RR	63.0	9/16	2.2	36	36.2	18.9	65.3	65.2	58.4		
DAIRYLAND	DSR-3002 RR	66.5	9/23	2.6	39	37.0	18.1	68.5	67.1	64.1		
DAIRYLAND	DSR-301 RR*	65.0	9/20	2.4	41	35.0	19.3	65.4	65.5	64.1	54.3	57.1
DAIRYLAND	DSR-326 RR*	66.8	9/24	2.3	41	36.7	18.3	67.8	68.0	64.5	56.6	
DAIRYLAND	DSR-3500 RR	67.3	9/26	2.7	40	36.7	18.1	67.3	66.2	68.5		
DAIRYLAND	DSR-3501 RR	66.5	9/23	2.4	43	35.3	18.3	67.7	67.3	64.4		
DAIRYLAND	DSR-3600 RR	66.0	9/28	2.6	38	36.6	18.8	63.1	67.6	67.3		
DAIRYLAND	DSR-385 RR*	70.8	9/29	1.8	38	35.6	19.3	65.4	73.2	73.7	62.7	
DAIRYLAND	DST 34-001 RR	64.6	9/21	2.5	40	35.4	18.4	66.7	62.3	64.9		
DEKALB	DKB 31-51*	68.9	9/19	2.6	38	36.0	19.0	65.7	70.2	70.9	62.8	63.1
DEKALB	DKB 36-52	67.2	9/24	2.4	40	37.4	17.1	67.5	70.1	64.1		
DIENER	D 3005 CR	64.7	9/17	2.4	36	35.5	18.8	63.3	66.4	64.5		
DIENER	D 3310 CR*	63.0	9/17	2.1	40	36.4	18.6	62.1	64.3	62.7		
EXCEL	8302 RR	63.2	9/17	2.3	35	36.3	18.9	61.0	66.9	61.7		
EXCEL	8343 NNRR	67.1	9/22	2.6	41	36.8	18.0	64.3	69.8	67.3		
EXCEL	8344 RR	65.6	9/22	2.5	39	35.3	18.5	66.2	68.1	62.4		
EXCEL	8354 RR	63.0	9/20	2.6	42	35.3	18.3	60.6	66.5	61.8		
EXCEL	8357 NNRR	69.0	9/23	2.3	39	36.8	17.3	67.5	69.0	70.5		
FONTANELLE	9011 RR*	63.5	9/15	2.2	35	33.9	19.2	63.2	64.3	63.0	52.7	
FS HISOY	HS 3135	65.5	9/16	2.5	38	34.1	19.1	65.8	65.5	65.2	58.5	
FS HISOY	HS 3236	70.0	9/19	2.5	36	36.2	19.0	68.7	71.5	69.8	63.3	
FS HISOY	HS 3306*	67.6	9/17	2.7	38	34.9	18.7	66.9	67.5	68.2	56.8	58.7
FS HISOY	HS 3536	69.5	9/21	2.4	35	35.9	18.7	70.7	70.4	67.5	60.6	
FS HISOY	HS 3726	69.0	9/25	2.3	38	36.3	18.1	69.5	70.0	67.7		
FS HISOY	X 3046	66.2	9/13	2.8	37	36.3	18.7	63.4	68.8	66.4		
FS HISOY	X 3346	69.4	9/18	2.2	40	36.7	17.5	72.3	68.5	67.5		
FS HISOY	X 3446	68.3	9/20	2.3	39	35.0	19.2	70.2	66.8	67.9		
FS HISOY	X 3646	66.6	9/23	2.4	40	37.6	17.0	69.4	69.7	60.7		
FS HISOY	X 3846	72.9	9/27	2.1	39	34.5	18.8	73.2	70.3	75.2		
GARST	3212 RR/N*	69.0	9/17	2.7	39	35.0	18.7	71.0	67.7	68.2	58.2	59.8
GARST	3512 RR/N	70.7	9/21	2.4	35	35.8	18.7	70.8	72.3	68.9		
GMA	SVI 3349 SCNRR	63.0	9/19	2.4	38	35.3	18.6	63.5	61.2	64.3		

2004 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @ 13%	Monmouth	Goodfield	Dwight	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @ 13%		Yield bu/a	Yield bu/a	Yield bu/a		
GMA	SVI 3350 SCNRR	63.3	9/14	2.6	40	36.0	18.7	65.4	63.1	61.3		
GMA	SVI 3455 SCNRR	60.4	9/18	2.5	38	35.9	18.2	62.3	61.3	57.6		
GMA	SVI 3458 SCNRR	61.6	9/16	2.5	44	35.7	18.8	62.7	61.9	60.3		
GOLDEN HARVEST	H-3189 RR*	67.7	9/15	2.8	39	34.3	19.0	70.0	68.8	64.2		
GOLDEN HARVEST	H-3281 RR*	65.0	9/19	2.3	36	37.0	18.0	65.1	66.2	63.8	55.4	
GOLDEN HARVEST	H-3383 RR*	65.4	9/20	2.8	40	36.7	18.2	65.9	66.0	64.3	56.4	57.9
GREAT HEART	GT-345 CRR*	69.7	9/22	2.5	35	35.7	18.7	68.9	71.8	68.5		
GREAT HEART	GT-360 CRR*	68.1	9/25	2.4	38	36.5	18.1	68.1	69.0	67.2	62.3	
GREAT LAKES	GL 3007 RR*	67.4	9/15	2.5	36	33.9	19.1	66.2	67.6	68.4	55.0	
GREAT LAKES	GL 3409 RR*	68.0	9/17	2.6	39	34.9	18.8	68.6	66.9	68.5	57.4	
GREAT LAKES	GL 3619 RR*	67.4	9/23	2.2	41	36.2	17.5	69.6	68.2	64.4		
HORIZON	H 301 RR	62.9	9/16	2.2	36	36.2	19.1	61.9	68.6	58.3		
HORIZON	H 324 NRR*	62.4	9/18	2.7	38	35.8	18.3	63.6	61.1	62.6	54.0	
HORIZON	H 328 NRR	68.3	9/26	2.7	36	34.3	19.4	63.5	67.7	73.8	57.9	59.7
HORIZON	H 333 NRR	70.1	9/20	2.2	40	36.2	17.7	71.9	69.5	68.9		
HORIZON	H 341 RR	63.0	9/21	2.1	35	35.2	18.8	64.0	65.3	59.7	52.7	
HORIZON	H 352 NRR*	69.7	9/21	2.6	37	35.9	18.6	71.0	70.2	68.0		
HORIZON	H 357 NRR	70.8	9/24	2.5	37	34.3	18.8	64.6	71.5	76.4		
HORIZON	H 374 NRR*	68.7	9/24	2.3	38	36.3	18.2	70.4	69.1	66.6		
HUBNER	H 325 NRR*	62.3	9/20	2.6	39	35.9	18.3	63.5	61.0	62.5		
KALTENBERG	KB 335 RR	68.5	9/20	2.3	38	36.9	17.8	66.8	69.3	69.4		
KALTENBERG	KB 354 RR	67.3	9/27	2.4	39	36.4	18.1	68.3	68.1	65.6		
KRUGER	313 RR/SCN	68.3	9/20	2.6	39	35.8	17.8	67.9	69.6	67.2		
KRUGER	323 RR	64.9	9/16	2.4	37	33.8	19.1	58.2	69.1	67.3		
KRUGER	328 RR	66.1	9/15	2.7	39	34.2	19.1	66.3	65.3	66.8		
KRUGER	341 RR/SCN	66.8	9/20	2.3	38	36.3	18.2	67.7	67.7	64.9		
KRUGER	343 RR/SCN	66.8	9/22	2.3	38	36.7	17.9	63.2	70.1	67.1		
KRUGER	346 RR/SCN	68.4	9/21	2.4	40	35.5	19.1	67.5	66.8	70.8		
KRUGER	346A RR/SCN	67.2	9/21	2.4	39	35.3	19.0	66.7	67.5	67.5		
KRUGER	349 RR*	68.5	9/18	2.5	35	36.0	19.1	67.0	68.7	69.9	60.8	62.4
KRUGER	355 RR/SCN*	70.1	9/22	2.4	36	35.9	18.6	68.0	73.2	69.2	61.9	
KRUGER	363 RR/SCN	68.5	9/25	2.5	40	37.7	17.0	71.2	67.9	66.3		
KRUGER	373 RR	70.8	9/26	2.1	40	34.2	19.1	65.9	71.5	74.9		
KRUGER	375 RR	66.4	9/29	2.6	39	36.9	18.7	64.2	69.3	65.7		
KRUGER	379 RR/SCN	71.0	9/25	2.4	39	36.7	18.0	73.0	70.2	69.7	64.6	65.4
KRUGER	379A RR/SCN	69.2	9/24	2.2	38	36.5	18.1	71.0	70.2	66.3		
KRUGER	380 RR/SCN*	68.8	9/28	2.2	40	34.5	18.7	67.6	66.1	72.8	62.2	
KRUGER	380A RR/SCN	70.2	9/28	2.3	41	34.3	18.8	71.4	68.3	71.0		
KRUGER	381 RR/SCN	68.4	9/29	2.5	43	35.9	18.4	64.6	71.6	68.9		
KRUGER	389 RR/SCN	74.2	9/26	2.2	40	35.1	18.4	73.0	72.2	77.5		
KRUGER	389A RR/SCN	74.6	9/26	2.0	38	34.4	18.8	74.3	73.2	76.4		
KRUGER	393 RR/SCN*	69.3	9/29	2.6	37	35.4	18.9	68.1	70.4	69.5	61.4	
KRUGER	404 RR*	71.4	9/25	2.4	36	34.8	19.5	65.7	74.0	74.5	60.5	
LEWIS	3005	66.4	9/18	2.7	38	36.4	18.5	66.2	67.2	65.8		

2004 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @ 13%	Monmouth	Goodfield	Dwight	2 yr	3 yr
				Lodging	Height in	Protein @ 13%		Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a
	*Producer Nominated											
LEWIS	3308	68.4	9/22	2.3	38	36.7	17.7	72.5	67.8	64.9		
LG SEEDS	C 3110 NRR*	69.4	9/18	2.2	35	35.9	19.1	70.8	69.6	67.7		
LG SEEDS	C 3444 NRR*	69.6	9/22	2.3	36	35.9	18.7	69.4	73.0	66.5		
MERSCHMAN	CLEVELAND VIIRR	71.1	9/26	2.3	36	34.3	19.7	65.7	72.5	75.1	60.5	
MERSCHMAN	COOLIDGE IIIIRR	64.1	9/21	2.7	39	36.7	18.1	62.6	63.3	66.4	57.2	
MERSCHMAN	GRANT IIIIRR	70.7	9/22	2.5	35	35.9	18.7	73.2	70.9	68.0	61.0	
MERSCHMAN	KENNEDY 538RR	69.5	9/26	2.2	37	36.1	19.0	66.7	69.4	72.3		
MERSCHMAN	WASHINGTON IXRR	69.4	9/29	2.6	38	35.1	18.9	65.7	72.5	70.0	60.5	60.8
MONIER	M 3331 RR	68.6	9/21	2.4	40	36.6	17.6	71.4	69.8	64.7		
MUNSON	8339 RR*	62.2	9/18	2.0	35	36.0	18.7	65.9	64.0	56.8	52.8	56.0
NK BRAND	S 31-V3*	66.1	9/15	2.1	38	36.1	17.8	67.2	67.1	64.0		
NU-AG	354 NRR*	70.4	9/21	2.3	37	35.9	18.7	71.9	72.9	66.5		
PIONEER	93M10*	69.0	9/19	2.8	41	34.2	19.0	72.3	68.1	66.6		
PIONEER	93M11	65.6	9/14	1.9	35	35.0	20.1	65.6	66.8	64.5		
PIONEER	93M30	68.9	9/16	2.7	37	34.9	18.9	66.5	68.8	71.5		
PIONEER	93M50	68.3	9/20	2.3	44	35.5	18.1	68.2	67.7	68.9		
PIONEER	93M60*	66.7	9/25	2.7	43	36.2	18.3	65.8	68.2	66.2		
PRAIRIE BRAND	PB-3123 RR	64.1	9/16	2.7	38	34.1	19.1	64.7	66.1	61.6		
PRAIRIE BRAND	PB-3383 NRR	68.5	9/18	2.5	37	36.2	19.0	67.5	70.0	68.0		
PRAIRIE BRAND	PB-3732 RR	67.8	9/23	2.4	40	36.3	17.6	68.4	69.4	65.7		
QUALITY PLUS	Q 344 RR	70.1	9/21	2.4	36	36.0	18.8	70.6	71.1	68.5		
QUALITY PLUS	Q 370 RR*	69.7	9/24	2.4	39	36.6	18.0	69.6	73.1	66.2		
ROESCHLEY	4351 CRR	69.5	9/21	2.5	39	36.3	17.6	71.3	69.3	67.8		
ROESCHLEY	5345 CRR*	67.2	9/21	2.1	43	36.2	17.5	71.2	65.6	64.8	58.9	
SIEBEN	CR 34	63.8	9/20	2.3	39	35.0	18.2	64.3	63.7	63.5		
SIEBEN	SS 3203 NRR	62.1	9/19	2.8	40	35.9	18.1	59.3	63.3	63.8	53.3	56.3
SIEBEN	SS 3304 NRR	66.5	9/24	2.6	41	36.9	18.1	68.3	65.0	66.1		
SIEBEN	SS 3704 NRR	70.7	9/27	2.3	35	34.4	19.4	65.1	74.1	72.9		
STINE	S 3242-4	67.7	9/20	2.3	38	35.4	19.1	65.7	68.2	69.2		
STINE	S 3532-4	69.2	9/21	2.3	36	35.8	18.7	67.6	70.6	69.3		
STINE	S 3600-4	69.1	9/25	2.1	40	34.4	19.1	65.0	68.9	73.4		
STINE	S 3632-4*	70.2	9/26	2.4	36	34.2	19.5	66.2	72.6	71.7	59.1	60.1
STINE	S 3832-4	69.3	9/29	2.4	37	35.2	18.9	67.9	71.2	68.8		
STONE	HC-2344 NRR	68.8	9/21	2.3	36	36.0	18.6	65.0	71.2	70.1	61.9	
STONE	HC-2373 NRR	70.0	9/24	2.5	41	36.2	18.1	74.4	68.7	67.0	63.9	
TRISLER TRISOY	3144 RR(CN)	70.2	9/20	2.3	41	36.7	17.4	72.8	72.2	65.6		
TRISLER TRISOY	3343 RR(CN)	68.7	9/20	2.3	41	35.3	19.1	69.8	69.1	67.3		
WILKEN	3410 RR	66.2	9/15	2.7	39	34.3	19.1	66.0	69.2	63.5		
WILKEN	3411 NRR*	68.7	9/18	2.6	36	36.2	19.0	67.5	68.0	70.6	62.3	
WILKEN	3419 NRR*	66.5	9/17	2.4	37	34.4	19.0	64.3	67.7	67.7	56.1	57.7
WILKEN	3421 NRR	63.3	9/18	2.7	40	35.8	18.2	63.3	62.9	63.7	54.9	
WILKEN	3425 NRR	70.5	9/20	2.3	40	36.6	17.6	74.7	69.8	66.9		
WILKEN	3470 CRR	63.0	9/25	2.3	38	34.9	18.2	63.6	60.9	64.5		
WILKEN	3473 NRR	68.1	9/22	2.3	37	36.5	18.0	66.4	71.8	66.1	62.9	

2004 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @ 13%	Oil @ 13%	Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*Producer Nominated												
WILKEN	3479 NRR	72.2	9/27	2.0	38	34.3	18.9	70.9	73.1	72.4			
WILLCROSS	RR 2303 N*	69.9	9/19	2.5	37	36.0	19.1	68.6	71.4	69.8	63.2		
WILLCROSS	RR 2331 N*	69.0	9/19	2.7	38	34.9	18.7	69.7	68.9	68.5	58.2		
WILLCROSS	RR 2335 N	71.8	9/20	2.6	41	36.7	17.5	74.5	73.1	67.7			
WILLCROSS	RR 2373 N	68.3	9/23	2.4	40	36.6	18.0	70.7	67.2	67.0			
	AVERAGE	67.6	9/21	2.4	38	35.7	18.5	67.4	68.4	67.1	58.9	59.6	
	L.S.D. 25% LEVEL	2.5		0.2	1	0.30	0.21	3.3	3.0	2.4			
	COEFF. OF VAR. (%)	6.7		17.6	7	1.6	2.1	5.2	4.6	3.9			