

Company Brand	Variety	Herb Trait	MG	1	2	3	4	5	SCN	PRR	Seed Trt	Hilum Color
AGS	GS42X19S	RX	4.2				4	5	U	U	B	Ib
AgVenture	34V4E	EN	3.5				4		2	C	B	Bu
AgVenture	38E8LL	LL	3.8				4	5	2	C	B	Bl
AgVenture	39V4E	EN	3.8				4	5	2	A	B	Bu
AgVenture	40U8LL	LL	4				4	5	2	U	B	Bl
AgVenture	40V7E	EN	4				4	5	2	U	B	Bu
AgVenture	41H1LL	EN	4.3				4	5	2	C	B	Bl
AgVenture	41V4X	RX	4.1				4	5	2	K	NA	Bl
AgVenture	43U2X	RX	4.3				4	5	2	U	B	Bl
AgVenture	44U4LL	LL	4.4				4	5	2	C	B	Bl
AgVenture	46V9LL	LL	4.6				4	5	2	U	B	Bu
AgVenture	47W3LL	LL	4.7				4	5	2	U	B	Bl
AgVenture	48V2E	EN	4.8					5	2	U	B	Bu
AgVenture	49V9E	EN	4.9				4	5	2	U	B	Ib
Asgrow	AG25X9	RX	2.5	1					2	C	B	ib
Asgrow	AG26X0	RX	2.6	1					2	c	B	ib
Asgrow	AG26X8	RX	2.6	1					2	C	B	ib
Asgrow	AG27X0	RX	2.7	1	2				2	c	B	ib
Asgrow	AG28X9	RX	2.8	1					2	C	B	ib
Asgrow	AG30X9	RX	3	1	2	3			2	C	B	ib
Asgrow	AG31X0	RX	3.1		2	3			2	c	B	Bl
Asgrow	AG33X0	RX	3.3		2	3	4		2	c	B	ib
Asgrow	AG36X6	RX	3.6		2	3	4	5	2	C	B	ib
Asgrow	AG37X0	RX	3.7		2	3			2	c	B	Bu
Asgrow	AG39X0	RX	3.9			3			2	c	B	Bl
Asgrow	AG39X7	RX	3.8			3	4	5	2	C	B	Bl
Asgrow	AG42X9	RX	4.2				4	5	2	A	B	Bl
Asgrow	AG44X0	RX	4.4				4	5		c	B	ib
Asgrow	AG46X0	RX	4.6					5	2	c	B	Bl
Asgrow	AG48X9	RX	4.8				4	5	2	C	B	Bl
Asgrow	AG49X9	RX	4.9					5	2	C	B	Bl
Baker	3705LLGT	RL	3.7				4		2	NG	F	Br
Baker	3782NRXSTS	RX	3.7				4		2	C	F	Bl
Baker	4282NRXSTS	RX	4.2					5	2	NG	F	Ib
Baker	4502NRXSTS	RX	4.5					5	2	C	F	Bl
Baker	4862NRX	RX	4.8					5	2	A	F	Bl
Baker	4902NRX	RX	4.9					5	U	A	F	Bl
BioGene	BG 6390LL GT2	RL	3.9				4		2	U	B	Bl
BioGene	BG 9370 E3	EN	3.7				4		2	U	B	Bu
Channel	2119R2X	RX	2.1	1					2	C	B	IB
Channel	2418R2X	RX	2.4	1					2	C	B	IB
Channel	2918R2X	RX	2.9	1	2	3			2	C	B	IB
Channel	3220R2X	RX	3.2		2				2	C	B	IB
Channel	3318R2X	RX	3.3			3			2	C	B	IB
Channel	3519R2X	RX	3.5		2	3			2	C	B	IB
Channel	3718R2X	RX	3.7			3	4	5	2	C	B	IB
Channel	4018R2X	RX	4				4	5	2	C	B	IB
Channel	4218R2X	RX	4.2				4	5	2	C	B	BL
Channel	4717R2X/SR	RX	4.7				4	5	2	C	B	IB
Cornelius	CB24X64	RX	2.4	1					2	NG	B	Bl
Cornelius	CB26X78	RX	2.6	1					1	C	B	Ib

Cornelius	CB27X81	RX	2.7	1			2	C	B	Ib		
Cornelius	CB29X90	RX	2.9		2		2	C	B	BI		
Cornelius	CB30X09	RX	3		2		2	NG	B	BI		
Cornelius	CB33X17	RX	3.3		2		2	NG	B	BI		
Cornelius	CB36X69	RX	3.6		2		2	C	B	BI		
Cornelius	CB38X89	RX	3.8			3	2	C	B	BI		
Cornelius	CB40X08	RX	4			3	2	NG	B	Ib		
Credenz	CZ 2579 GTLL	RL	2.5	1	2		2	K	B	BI		
Credenz	CZ 2889 GTLL	RL	2.8	1	2	3	2	A	B	Br		
Credenz	CZ 3309 GTLL	RL	3.3	1	2	3	4	5	2	A	B	BI
Credenz	CZ 3519 GTLL	RL	3.5		2	3	4	5	2	A	B	BI
Credenz	CZ 3929 GTLL	RL	3.9		2	3	4	5	2	A	B	BI
Credenz	CZ 4539 GTLL	RL	4.5				4	5	2	U	B	BI
DeReadt	2416NR2Y	RR	2.4	1			2	K	B	BI		
DeReadt	2523GT27	RR	2.5	1			5	S	B	BR		
DeReadt	2555 E-3	EN	2.7	1			2	NG	B	Ib		
DeReadt	2600 B-GT27	RR	2.6	1			2	K	B	BI		
DONMARIO	DM 2544E	EN	2.5	1			2	K	B	BR		
DONMARIO	DM 25X43	RX	2.5	1			2	K	B	IB		
DONMARIO	DM 2868E	EN	2.8	1	2		2	C	B	BR		
DONMARIO	DM 28J9X	RX	2.8	1	2		2	C	B	IB		
DONMARIO	DM 34X16	RX	3.4		2		2	NG	B	BR		
DONMARIO	DM 3756E	EN	3.7			3	4	5	2	NG	B	IB
DONMARIO	DM 37C2S	CV	3.7			3	4	5	S	K	B	BR
DONMARIO	DM 37M3X	RX	3.7			3	4	5	2	U	B	BR
DONMARIO	DM 3932E	EN	3.9			3	4	5	2	NG	B	BR
DONMARIO	DM 41C2S	CV	4.2			3	4	5	S	C	B	BL
DONMARIO	DM 41P2X	RX	4.1			3	4	5	2	U	B	IB
DONMARIO	DM34E11	EN	3.4			3	2	NG	B	Ib		
Dyna-Gro	S23XT90	RX	2.3	1			2	C	B	Ib		
Dyna-Gro	S24XT08	RX	2.4	1			2	NG	B	BI		
Dyna-Gro	S27EN89	EN	2.7	1	2		2	K	B	Bu		
Dyna-Gro	S28XT58	RX	2.8	1	2		2	C	B	Ib		
Dyna-Gro	S31XT59	RX	3.1	1	2		2	NG	B	BI		
Dyna-Gro	S32EN60	EN	3.2		2		2	K	B	Ib		
Dyna-Gro	S33XT79	RX	3.3		2		2	A	B	BI		
Dyna-Gro	S34XT69	RX	3.4		2	3	2	C	B	Ib		
Dyna-Gro	S35EN99	EN	3.5		2	3	2	NG	B	Ib		
Dyna-Gro	S35XT97	RX	3.5			3	2	C	B	Ib		
Dyna-Gro	S37EN39	EN	3.7			3	4	2	NG	B	Ib	
Dyna-Gro	S37XS89	RX	3.7			3	4	2	C	B	BI	
Dyna-Gro	S39EN19	EN	3.9			3	4	5	2	NG	B	Bu
Dyna-Gro	S41XS98	RX	4.1				4	5	2	NG	B	Ib
Dyna-Gro	S42EN89	EN	4.2				4	5	2	A	B	Bu
Dyna-Gro	S43XS70	RX	4.3				4	5	2	C	B	BI
Dyna-Gro	S44XS68	RX	4.4					5	2	C	B	BI
Dyna-Gro	S46XS60	RX	4.6					5	2	C	B	BI
Dyna-Gro	S46XT80	RX	4.6					5	2	C	B	BI
FS HiSOY®	24X80	RX	2.4	1			2	C	B	Ib		
FS HiSOY®	26B90	RL	2.6	1	2		2	NG	B	BI		
FS HiSOY®	26X90	RX	2.6	1	2		2	C	B	Ib		
FS HiSOY®	27X90	RX	2.7	1	2		1	K	B	Ib		

FS HiSOY®	28B90	RL	2.8	1 2		2	NG	B	Br
FS HiSOY®	28C70	CV	2.8	1 2		2	NG	B	Bl
FS HiSOY®	28X70	RX	2.8	1 2		2	C	B	lb
FS HiSOY®	29X80	RX	2.9	1 2		2	C	B	Bl
FS HiSOY®	32B90	RL	3.2	2 3		2	NG	B	Bl
FS HiSOY®	32C80	CV	3.2	2 3		2	C	B	Bl
FS HiSOY®	32X90	RX	3.2	2 3		2	NG	B	Bl
FS HiSOY®	33X80	RX	3.3	2 3		2	C	B	lb
FS HiSOY®	34B90	RL	3.4	2 3		2	NG	B	Bl
FS HiSOY®	34C80	CV	3.4	2 3		2	NG	B	Bl
FS HiSOY®	34X60	RX	3.4	2 3		2	C	B	lb
FS HiSOY®	35X90	RX	3.5	3		2	C	B	Bu
FS HiSOY®	36B90	RL	3.6	3		2	NG	B	Bl
FS HiSOY®	37X70	RX	3.7	3		2	C	B	lb
FS HiSOY®	38B90	RL	3.8	3 4		2	NG	B	Bl
FS HiSOY®	38X70	RX	3.8	3 4		2	C	B	Bl
FS HiSOY®	39B80	RL	3.9	3 4		2	NG	B	Bl
FS HiSOY®	39X70	RX	3.9	3 4		2	NG	B	lb
FS HiSOY®	41X70	RX	4.1	3 4		2	NG	B	lb
FS HiSOY®	42B90	RL	4.2	4		2	A	B	Bl
FS HiSOY®	42X90	RX	4.2	4		2	C	B	Bl
FS HiSOY®	43C90	CV	4.3	4		2	C	B	Bl
FS HiSOY®	43X60	RX	4.3	4 5		2	C	B	Bl
FS HiSOY®	44B90	RL	4.4	4 5		2	A	B	Bl
FS HiSOY®	44X90	RX	4.4	4 5		2	C	B	Bl
FS HiSOY®	45X80	RX	4.5	4 5		2	C	B	lb
FS HiSOY®	46X90	RX	4.6	5		2	C	B	Bl
FS HiSOY®	47B90	RL	4.7	5		2	NG	B	Bl
FS HiSOY®	48X90	RX	4.8	5		2	NG	B	lb
FS HiSOY®	49X60	RX	4.9	5		2	A	B	Bl
FS HiSOY®	HS 31E90	EN	3.1	2		2	NG	B	lb
FS HiSOY®	HS 34E80	EN	3.4	2 3		2	NG	B	lb
FS HiSOY®	HS 42E90	EN	4.2	4		2	NG	B	Bu
FS HiSOY®	HS 46E90	EN	4.6	5		2	K	B	Bu
Genesis	G3140ES	EN	3.1	2		2	C	F	BU
Genesis	GS2840E	EN	2.7	1 2		2	K	F	BU
Go Soy	*393E19	EN	3.9	4 5		U	U	B	
Go Soy	*462E18	EN	4.6	4 5		U	U	B	lb
Go Soy	40GL18	RL	4	4 5		U	U	B	
Go Soy	43C17S	CV	4.3	4 5		U	U	B	Bl
Green Valley Seed	37X0	RX	3.7	3		U	U	B	BU
Green Valley Seed	39X0	RX	3.9	3		U	U	B	Bl
Hoffman	H38E20	EN	3.8	4 5		2	K	B	Bu
Hoffman	H393N	CV	3.9	4 5		2	C	B	Bl
Hoffman	H399N	CV	3.9	4 5		2	U	B	Bl
Hoffman	H416N	CV	4.1	4 5		2	C	B	Bl
Hoffman	H42E20	EN	4.2	4 5		2	A	B	Bu
Hoffman	H42GL20	RL	4.2	4 5		2	A	B	Bl
Hoffman	H44E20	EN	4.4	4 5		2	K	B	Br
Hoffman	H47L19	LL	4.7	4 5		2	A	B	Bl
Illini	2643N	CV	2.6	1 2		2	NG	B	G
Illini	2904N	CV	2.9	2 3		2	NG	B	lb

Illini	3025N	CV	3.1	2 3	2	K	B	Br
Illini	3156N	CV	3.1	2 3	2	K	B	Bl
Illini	3253NHD	CV	3.2	2 3	2	NG	B	G
Illini	3264N	CV	3.2	3	2	NG	B	Bl
Illini	3267N	CV	3.2	2 3	2	K	B	Bl
Illini	3546N	CV	3.5	3 4	2	C	B	Bl
Illini	3648N	CV	3.6	3 4	2	K	B	Bl
Illini	3849N	CV	3.8	4		NG	B	Bu
Illini	3855N	CV	3.8	3 4	2	C	B	Bl
Illini	4218N	CV	4.2	4 5	2	NG	B	Bl
LG Seeds	C2888RX	RX	2.8	1 2	2	R	B	lb
LG Seeds	C3550RX	RX	3.5	2 3	2	R	B	lb
LG Seeds	C4227RX	RX	4.2	4 5	2	S	B	lb
LG Seeds	LGS2444RX	RX	2.4	1	2	R	B	B
LG Seeds	LGS3060RX	RX	3	1 2	2	S	B	B
LG Seeds	LGS3297RX	RX	3.2	2	2	R	B	lb
LG Seeds	LGS3600RX	RX	3.6	3 4 5	2	S	B	B
LG Seeds	LGS3777RX	RX	3.7	3 4 5	2	R	B	B
Martin	M30E	EN	3	3	2	NG	NA	lb
Martin	M33A-X	RX	3.3	3	2	C	B	lb
Missouri	S13-10590C	CV	4.3	4 5			B	Bl
Missouri	S13-2743C	CV	4.1	4 5			B	Bf
Missouri	S13-3851C	CV	4.4	4 5			B	Bl
Monier	M2837R2	RR	2.8	2	2	A	B	Bl
Monier	M2866RX	RX	2.8	2	2	C	B	lb
Monier	M2957RX	RX	2.9	2	2	C	B	Bl
Monier	M3357RX	RX	3.3	2	2	C	B	lb
P3	2029E	EN	2.9	1	2	NG	B	lb
P3	2031E	EN	3.1	2	2	1K	B	lb
P3	2034E	EN	3.4	2	2	NG	B	lb
P3	2036E	EN	3.6	2	2	NG	B	Br
P3	2039E	EN	3.9	3	2	NG	B	Bu
Pioneer	23A15X	RX	2.3	1	2	C	B	BR
Pioneer	26A61X	RX	2.6	1	2	K	B	BR
Pioneer	29A25X	RX	2.9	1	2	K	B	BR
Pioneer	42A96X	RX	4.2	4 5	2	C	B	Bl
Pioneer	46A93X	RX	4.6	5	2	NG	B	Bl
Pioneer	48A60X	RX	4.8	4 5	2	NG	B	Bl
Pioneer	P27A17X	RX	2.7	2 3	1	K	B	Bl
Pioneer	P31A22X	RX	3.1	1 2 3	2	K	B	Br
Pioneer	P33A53X	RX	3.3	2 3 4	2	C	B	Br
Pioneer	P33T60	CV	3.3	2 3	2	C	B	Br
Pioneer	P35A41	CV	3.5	2 3	2	C	B	Br
Pioneer	P40A47X	RX	4	2 3 4 5	2	K	B	Bl
Power Plus	36A1X TM*	RX	3.6	3 4	2	C	B	Bu
Public	Dwight	CV	2.9	2 3			B	Bl
Public	Jack	CV	2.9	2 3			B	Y
Public	Williams 82	CV	3.8	3			B	Bl
RENK	RS248NX	RX	2.4	1	2	NG	F	BL
RENK	RS250NX	RX	2.5	1	2	K	F	IB
RENK	RS280NX	RX	2.8	1 2	2	K	F	IB
RENK	RS309NSX	RX	3	2	2	C	F	BL

RENK	RS330NSX	RX	3.3	2	2	NG	F	BL
RENK	RS357NX	RX	3.5	2	2	C	F	IB
Stone Seed	2RX2019	RX	2	1	2		B	BU
Stone Seed	2RX2418	RX	2.4	1	2	C	B	IB
Stone Seed	2RX2639	RX	2.6	1	2	C	B	IB
Stone Seed	2RX2830	RX	2.8	1 2	2	C	B	IB
Stone Seed	2RX2929	RX	2.9	1 2 3	2		B	IB
Stone Seed	2RX3120	RX	3.1	1 2	1		B	IB
Stone Seed	2RX3450	RX	3.4	2 3	2	C	B	IB
Stone Seed	2RX3527	RX	3.5	2 3	2	C	B	IB
Stone Seed	2RX3628	RX	3.6	2 3 4 5	2	C	B	IB
Stone Seed	2RX3839	RX	3.8	3 4 5	2	C	B	BU
Stone Seed	2RX3928	RX	3.9	3 4	2	C	B	IB
Stone Seed	2RX4029	RX	4	4 5	2	C	B	BL
Stone Seed	2RX4228-SR	RX	4.2	4 5	2	C	B	BL
Stone Seed	2RX4339-SR	RX	4.3	4	2	C	B	BL
Stone Seed	2RX4629-SR	RX	4.6	5	2	C	B	BL
Stone Seed	2RX4720-SR	RX	4.7	5	2	C	B	BL
Sun Prairie Seeds	SP33RX9	RX	3.3	2 3	2	NG	B	BL
Sun Prairie Seeds	SP34RX8	RX	3.4	2 3	2	C	B	IB
Sun Prairie Seeds	SP36RX9	RX	3.6	3	2	C	B	BU
Sun Prairie Seeds	SP38RX7	RX	3.8	3 4	2	C	B	BL
Sun Prairie Seeds	SP42RX7	RX	4.2	5	2	NG	B	IB
Viking	2188AT12N	CV	2.5	1 2	2	S	B	Y
Viking	2418N	CV	2.4	1	2	C	B	BL
Viking	2518N	CV	2.5	1	2	S	B	BL
Viking	3144N	CV	3.1	1 2	2	S	B	Y

#### Regions

- 1 = Region 1: Fenton, Mt. Morris & DeKalb
- 2 = Region 2: Monmouth, Goodfield & Dwight
- 3 = Region 3: Perry, New Berlin & Urbana
- 4 = Region 4: Belleville & St. Peter
- 5 = Region 5: Harrisburg & Elkville

#### SCN Source of Soybean Cyst Nematode Resistance

1 = PI 548402 (Peking), 2 = PI 88788, 3 = PI 90763, 4 = PI 437654,  
S = Susceptible, U = source unknown.

#### PRR = Phytophthora Root Rot

A = Rps1a, C = Rps1c, K = Rps1k, 3 = Rps3a, S = Susceptible, U = Unknown, NG = No Gene

#### HC = Hilum Color

BI black, IB imperfect black, BU buff, BR Brown, Y Yellow, G Gray, M Mixed

ST- U= Untreated, F=Fungicide, Fe= Fungicide + Illevo, B= Fungicide + Insecticide, Be= Fungicide + Insecticide + Illevo, NA= Information not Available